

MODEL: IRT-MPG1490 *Granite Top Pizza Prep Tables*

General Strengths

- ✓ **Sanitation.** The interior cabinet is built with rounded corners (extensive radius for easy cleaning). Quick ability to take off shelves and slides for interior cleaning. Each cabinet has a drain at the bottom of the unit. When cleaning the unit make sure the drain hose is routed to a floor drain.
- ✓ **Doors.** Self-closing door system with permanent pressure. Stay open feature included when door remains open after 95 degrees. All doors include triple chamber door gaskets, easy to remove and snap in. Doors are field reversible.
- ✓ **Control systems.** Higher precision in managing temperature settings. Greater ability to adjust temperature ranges as per the end user's requirement.
- ✓ **100% Tested.** All condenser units are tested 100%, in helium chambers to refrigerant leak detections.
- ✓ **Certified.** Audited and Certified by **INTERTEK** for compliance with UL 471 and NSF 7. AENOR audited and certified by internationally recognized firm. ISO 9001:2015 (Quality); ISO 14001:2015 (Environmental); OSHAS 18001:2007 (Prevention and Worker Safety)



MODEL	Dimensions (inches) (mm)			Nº Doors	Nº Shelves / Set of slides	Ref.	Ref. Weight (Lbs.) (gr.)	Temp. Range (°F) (°C)	Capacity (Cu. Ft.) (L)	Cond. Unit. H.P.	Case Amps 115 V.	Crated Weight (Lbs.) (Kg.)
	W	D	H									
IRT-MPG1490	58-5/8	27-1/2	32-3/4	2	2 / 10	R290	0.22	33°F/38°F	10.41	1/4	6.1	520
	1490	700	830			R134a	100	0°C/3°C	305			236
			55-3/8				0.48	39°F/41°F	1.55	1/6	1.82	160
			1407				220	3°C/5°C	44			73

ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 – WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE



Infrico USA Corp.
 1409 N.W. 84th Avenue
 Doral, FL 33126
 1.305.777.9599 Office
 1.305.777.9598 Fax

www.infrico.us
sales@infrico.com

APPROVALS: _____ AVAILABLE AT: _____

MODEL: IRT-MPG1490

Granite Top Pizza Prep Tables

STANDARD FEATURES

➤ **Exterior**

- AISI 304 Stainless Steel.
- Granite worktop,

➤ **Interior**

- AISI 304 Stainless Steel,
- Internal drain plug for easy cleaning,
- Sealed interior floors and rounded cabinet corners.

➤ **Insulation**

- CFC-Free polyurethane insulation, entire cabinet structure is foamed-in place using a high-density polyurethane insulation,
- Low GWP & Zero ODP effect.

➤ **Doors**

- Polyurethane insulated doors,
- Self closing doors with stay open feature,
- Stainless Steel heavy-duty hinges,
- Four chamber snap in door gaskets for easy removal and cleaning,
- Door opening: 14-3/4" x 20-5/8" (375x526 mm).

➤ **Casters**

- 4" diameter casters,
- Locks provided on front set.

OPTIONAL FEATURES

- ✓ Set of 6" legs, height adjustable from 5" to 8".
- ✓ Stainless Steel wire shelves,
- ✓ Additional slide kits,
- ✓ Electrical connection is: 220-230 V / 1ph / 50 Hz (plug type varies).

➤ **Salad Top**

- IRT-VIP1490B1/3GLASSTOP included,
- Top includes 1/3 size stainless steel food pans, (5) pans.

MPG 1490
(GN 1/3X6") = 5



➤ **Shelving**

- (1) Plastic coated wire shelves per section,
- Set of Stainless-Steel shelf brackets,
- Easy remove for cleaning,
- Dimensions WxD: 12-51/64" x 20-7/8" (325x530 mm).

➤ **Refrigeration**

- Digital temperature controller with automatic defrost system,
- Front-breathing refrigeration system,
- Extractable condensing unit for easy serv
- Evaporator coil coated with anti-corrosion material 100% Polyester,
- Refrigeration system independent for table and counter-top ingredients,
- Refrigeration capacity: 1017 Btu/h + 478 Btu/h (14°F) / 298 W + 140 W (-10°C).



➤ **Electrical**

- Cord and NEMA 5-15P plug.
- Electrical connection is 115V / 1ph / 60 Hz.



➤ **ETL Listed to UL471 Standard and Sanitation classified to**


ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 - WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE

MODEL: IRT-MPG1490


Granite Top Pizza Prep Tables

PLAN VIEW


ELEVATION



RIGHT VIEW



PLAN VIEW



ETL LISTED TO UL471 STANDARD AND SANITATION CLASSIFIED TO NSF7 - WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE



Infrico USA Corp.
 1409 N.W. 84th Avenue
 Doral, FL 33126
 1.305.777.9599 Office
 1.305.777.9598 Fax

www.infrico.us
sales@infrico.com

APPROVALS: _____
AVAILABLE AT: _____